

CLAIMS

2 1. A communication system, comprising:
3 at least one wireless terminal;
4 an access point in wireless communication with said terminal and forming part of
5 a network;
6 a server connected to said network;
7 said wireless terminal having more than one selector for selecting objects so that
8 selection information is transferred from the terminal to the server.

1 2. The wireless system according to claim 1, further comprising a connection from
2 one of the access point and server to the Internet.

1 3. The wireless system according to claim 1, wherein in response to the selection
2 information being transferred from the terminal to the server, the server responds back to the
3 terminal, with suitable page template into which localization and component parsing being
4 accomplished before a response to the selection information is sent to the terminal.

1 4. The wireless system according to claim 1, wherein object menu icon is provided
2 on a screen of said wireless terminal with associated object.

1 5. The wireless system according to claim 4, wherein object menu icons associated

1 with a plurality of objects are visible at the same time.

1 6. The wireless system according to claim 1, wherein said wireless terminal utilizes
2 a focus marker around fields on a screen.

1 7. A method of selecting items on a screen of a terminal comprising:
2 providing a terminal in communication with a server;
3 displaying an appropriate screen on said terminal;
4 displaying an object menu icon associated with said screen visibly at all times of
5 said display.

1 8. The method according to claim 7, wherein said object menu icon includes a
2 plurality of icons, each associated with different objects on said screen.

1 9. The method according to claim 7, further comprising selecting objects from said
2 screen using two alternative selectors.

1 10. The method according to claim 9, wherein said selectors include a touch screen
2 and virtual keys.

1 11. The method according to claim 7, further comprising marking a field of said screen

with a focus marker to limit selection.

12. The method according to claim 7, further comprising:

transferring user selection information to said server;

said server responding back to said terminal;

localizing and parsing said selection response information before responding back

to said terminal.

13. A terminal device comprising:

a screen on which objects including icons appear;

at least two independent selector devices for selecting objects from said screen.

14. The device according to claim 13, wherein said two selectors include a touch

screen and virtual keys.

15. The device according to claim 13, wherein said screen visibly displays an object

menu icon at all times.

1 16. A device according to claim 15, wherein said object menu icon includes a plurality
2 of object menu icons, each associated with a separate object on said screen.

1 17. A device according to claim 13, further comprising a focus marker device for
2 indicating on said screen a field to which said selectors are limited.

1 18. A terminal device comprising:
2 a screen on which objects including icons appear;
3 at least two independent selector devices for selecting objects from said screen;
4 a focus marker device for placing a marker around a field on said screen to which
5 selection is limited; and
6 an object menu icon visibly present at all times on said screen.

1 19. A terminal device according to one of claims 13 and 18, further comprising a
2 wireless connection to an access point of the network.

1 20. The method according to claim 7, wherein the terminal is wirelessly connected to
2 a network.

1 21. The method according to claim 7, wherein the terminal is fixedly connected to a
2 network.

1 22. The wireless system according to claim 4, wherein the object menu icon causes
2 an audio feedback to be played in the terminal when the icon is selected to open.

1 23. The wireless system according to claim 1, wherein the selection information is
2 transferred from the terminal to the server by applying a browser application between a terminal
3 and server connection.

1 24. The wireless system according to claim 1, where in the selection information may
2 be processed into HTML format in the terminal before it is sent to the server.

1 25. The terminal device according to one of claims 13 and 18, wherein the size of the
2 terminal display varies according to terminal type.

1 26. The method according to claim 12, further comprising:
2 selecting information template and localizing and parsing the selection response
3 information, so as to support multiple size display of the terminal, before the response is sent back
4 to said terminal.

1 27. The method according to claim 11, further comprising:

2 applying a focus marker to the view of a mobile terminal of the system.

1 28. The method according to claim 12, further comprising:

2 selecting information template and localizing and parsing the selection response
3 information in such a way, that a focus marker is supported for the terminal and added to view
4 before responding back to said terminal.

1 29. The communication system of claim 1, further comprising:

2 a service that is selectable from a service tab which may be downloaded from a
3 management server.

1 30. The method of claim 27, further comprising:

2 a user interface style template for us when the screen of a service is made, which
3 is downloaded from a management server.